

IVM 60/30

Robusan ind. usisivač srednje klase IVM 60/30 sa izdržljivim kompresorom sa bočnim kanalom i velikim zvezdastim filterom klase prašine M. Za uklanjanje finih i grubih čvrstih materijala.



Kataloški br.

1.573-520.0

- Antistatička oprema
- Posebno velika površina filtera
- Stabilni točkovi i točkići za upravljanje

Tehnički podaci

4054278325699

Napon napajanja	Ph / V / Hz	3 / 400 / 50
Protok vazduha	l/s / m³/h	68 / 244,8
Usisavanje	mbar / kPa	286 / 28,6
Kapacitet posude	l	60
Materijal posude		Nerdajući čelik
Nazivna ulazna snaga / Amps	kW	3
Vrsta usisavanja		Električno
Površina filtera	m²	2,2
Nazivni prečnik spoja		ID 70
Nazivni prečnik dodatne opreme		ID 70 / ID 50 / ID 40
Nivo zvučnog pritiska	dB(A)	79
Težina bez pribora	kg	99
Težina sa ambalažom	kg	103,6
Dimenzije (D x Š x V)	mm	1030 x 680 x 1650

Oprema

Dodatna oprema obuhvaćena isporukom	ne
Pražnjenje posude	Šasija za taloženje

■ Sadržano u obimu isporuke



Praktično rukovanje uređajem

- Kuka za crevo i držači pribora za jednostavno čuvanje i nošenje.
- Integrisana kvačica za kabl za sigurno odlaganje kabla.
- Sve kuke je moguće slobodno postaviti na uređaj uz pomoć sistema kopči.



Manuelno trešenje filtera za niske troškove režima rada

- Produžava vek trajanja trajnog filtera i time smanjuje troškove održavanja.
- Komforno: Prenosnik se brine za ujednačene rezultate čišćenja.
- Duže trajanje filtera zbog češćeg čišćenja filtera i doziranog prenosa sile na filter.



Opteretiv i svestran

- Bočni kanalni kompresor sa vekom trajanja od preko 20.000 sati za veliku usisnu snagu.
- Pogodno za rad u više smena.

PRIBOR IVM 60/30 1.573-520.0



1-3



4-5



6-9



10-13



14-15

		Kataloški br.	
ADAPTERI / REDUKCIONI ELEMENTI / RAZVODNICI			
Redukcioni elementi / proširenja			
Reducir od nerđajućeg čelika DN70 na DN50	1	9.989-712.0	☐
Reducir od nerđajućeg čelika DN70 na DN40	2	9.989-713.0	☐
Element za redukciju od nerđajućeg čelika AISI 304	3	9.989-893.0	☐
Razvodnici			
Razvodnik od nerđajućeg čelika AISI 304	4	9.989-894.0	☐
Y-razdelnik DN70 do DN40 od nerđajućeg čelika AISI 304	5	9.989-895.0	☐
CREVA			
PVC			
Hose PVC DN40 3 m	6	9.989-962.0	☐
Hose PVC DN40 5 m	7	9.989-963.0	☐
PVC crevo DN50 3 m	8	9.989-964.0	☐
Hose PVC DN50 5 m	9	9.989-965.0	☐
EVA			
EVA crevo DN40 3 m	10	9.989-982.0	☐
Hose EVA DN40 5 m	11	9.989-983.0	☐
Hose EVA DN50 3 m	12	9.989-984.0	☐
Hose EVA DN50 5 m	13	9.989-985.0	☐
ME			
Hose connection kit DN40	14	9.989-986.0	☐

■ Sadržano u obimu isporuke □ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



		Kataloški br.	
CREVA			
ME			
Hose connection kit DN50	15	9.989-987.0	☐
PU			
Hose PU DN40 3 m	16	9.989-966.0	☐
Hose PU DN40 5 m	17	9.989-967.0	☐
Hose PU DN50 3 m	18	9.989-968.0	☐
PU crevo DN50 5 m	19	9.989-969.0	☐
Hose PU FDA DN40 3 m	20	9.989-970.0	☐
Hose PU FDA DN40 5 m	21	9.989-971.0	☐
Hose PU FDA DN40 15 m	22	9.989-972.0	☐
Hose PU FDA DN50 3 m	23	9.989-973.0	☐
Hose PU FDA DN50 5 m	24	9.989-974.0	☐
Hose PU FDA DN50 15 m	25	9.989-975.0	☐
ME-PU			
Hose ME DN40 3 m	26	9.989-976.0	☐
Hose ME DN40 5 m	27	9.989-977.0	☐
ME crevo bez spojnice DN40 15 m	28	9.989-978.0	☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



26-30



32-33




35



36-37



38-39





40

		Kataloški br.		
CREVA				
ME-PU				
Hose ME DN50 3 m	29	9.989-979.0		☐
Hose ME DN50 5 m	30	9.989-980.0		☐
Hose without connection ME DN50 15 m	31	9.989-981.0		☐
DRŠKE				
Handle stainless steel AISI 304	32	9.989-896.0		☐
	33	9.989-897.0		☐
Handle straight stainless steel AISI 304	34	9.989-898.0		☐
	35	9.989-899.0		☐
Handle carbon DN-F40	36	9.989-916.0		☐
Handle carbon DN-F50	37	9.989-917.0		☐
Handle carbon 110° DN-F40	38	9.989-918.0		☐
Handle carbon 110° DN-F50	39	9.989-919.0		☐
USISNE CEVI				
Usisna cev 850 mm DN 40	40	9.977-525.0	Produžna čelična cev, elektroprovodna, DN 40. Dužina: 850 mm.	☐
Usisna cev, ugljenik, 1500 mm DN40	41	9.989-552.0	Veoma laka karbonska produžna elektroprovodna cev, DN 40, dužine 1500 mm.	☐
Usisna cev, karbon, 1500 mm DN50	42	9.989-553.0	Veoma laka karbonska produžna elektroprovodna cev, DN 50, dužine 1500 mm.	☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



		Kataloški br.		
USISNE CEVI				
Suction tube stainless steel AISI 304 DN	43	9.989-912.0		☐
	44	9.989-913.0		☐
Karbonska usisna cev 1500 mm DN-F40 konusna	45	9.989-920.0		☐
Karbonska usisna cev 1500 mm DN-F50 konusna	46	9.989-921.0		☐
Suction tube aluminium high temperature	47	9.989-928.0		☐
	48	9.989-929.0		☐
	49	9.989-930.0		☐
Aluminijumska usisna cev za visoku temperaturu	50	9.989-931.0		☐
Suction tube aluminium high temperature	51	9.989-932.0		☐
Aluminijumska usisna cev za visoku temperaturu	52	9.989-933.0		☐
MLAZNICE				
Standardne mlaznice				
Standardna mlaznica Alu DN40	53	9.980-748.0	Kosa mlaznica od eloksiranog aluminijuma, elektroprovodna, DN 40.	☐
Standardna mlaznica Alu DN50	54	9.980-749.0	Kosa mlaznica od eloksiranog aluminijuma, elektroprovodna, DN 50.	☐
Standard nozzle silicon FDA blue DN-F40	55	9.989-835.0		☐
Standard nozzle silicon FDA green DN-F40	56	9.989-836.0		☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



		Kataloški br.		
MLAZNICE				
Standardne mlaznice				
Standard nozzle silicon FDA red DN-F40	57	9.989-837.0		☐
Standardna FDA silikonska providna mlaznica	58	9.989-838.0		☐
Standard nozzle silicon FDA white DN-F40	59	9.989-839.0		☐
Standardna FDA silikonska žuta mlaznica DN-F4	60	9.989-840.0		☐
Standard nozzle silicon FDA blue DN-F50	61	9.989-841.0		☐
Standard nozzle silicon FDA green DN-F50	62	9.989-842.0		☐
Standard nozzle silicon FDA red DN-F50	63	9.989-843.0		☐
Standard nozzle silicon FDA transparent	64	9.989-844.0		☐
Standard nozzle silicon FDA white DN-F50	65	9.989-845.0		☐
Standard nozzle silicon FDA yellow DN-F5	66	9.989-846.0		☐
Standardne mlaznice, savitljive				
Mlaznica, pocinkovana, fleksibilna, sa gumenim usnikom	67	9.981-420.0	Okrugla mlaznica, čelik, pocinkovana, fleksibilna, sa gumenim usnikom DN 30.	☐
	68	9.981-421.0		☐
Standardna mlaznica, savitljiva, savijena pod uglom od 90° PP DN40	69	9.981-429.0	Fleksibilna, elektroprovodna, ugaona mlaznica, DN 40, dužina: 800 mm.	☐
Standardna mlaznica, savitljiva, savijena pod uglom od 90° PP DN50	70	9.981-430.0	Fleksibilna, elektroprovodna, ugaona mlaznica, DN 50, dužina: 800 mm.	☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0




71



72



74-75



76



77-78



79-80



81-82



83

		Kataloški br.		
MLAZNICE				
Mlaznice za pod				
Mlaznica za pod Alu 200 mm DN50	71	9.981-426.0	Mlaznica za pod DN 50, sa usisnom širinom 200 mm.	☐
Mlaznica za pod Alu el 500 mm DN50	72	9.981-925.0	Mlaznica za pod sa usisnom širinom 500 mm i okretnim zglobovima. DN 50, elektroprov.	☐
Mlaznica za pod, gumena traka, otporna na ulje, 220 mm	73	9.981-923.0	Usisna šina sa plastičnom trakom za podnu mlaznicu, širine 220 mm.	☐
Mlaznica za pod, gumena traka, 370 mm	74	9.981-914.0	Usisna šina sa profilisanom trakom za podnu mlaznicu, širine 370 mm.	☐
Mlaznica za pod, gumena traka, 500 mm	75	9.981-915.0	Usisna šina sa profilisanom trakom za podnu mlaznicu, otporna na ulje, širine 500 mm.	☐
Mlaznica za pod, četkasta traka 500 mm	76	9.980-764.0	Set četkaste trake, mlaznica za pod, 500 mm, sa profilnom trakom.	☐
Podna mlaznica od nerđajućeg čelika AISI 304	77	9.989-861.0		☐
Bottom nozzle Edelstahl AISI 316L blue	78	9.989-862.0		☐
Floor nozzle stainless steel AISI 316L g	79	9.989-863.0		☐
	80	9.989-864.0		☐
Floor nozzle stainless steel AISI 316L r	81	9.989-865.0		☐
	82	9.989-866.0		☐
Floor nozzle stainless steel AISI 316L t	83	9.989-867.0		☐
	84	9.989-868.0		☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



		Kataloški br.		
MLAZNICE				
Mlaznice za pod				
Podna mlaznica od nerđajućeg čelika AISI 316L w	85	9.989-869.0		☐
Floor nozzle stainless steel AISI 316L w	86	9.989-870.0		☐
Floor nozzle stainless steel AISI 316L y	87	9.989-871.0		☐
	88	9.989-872.0		☐
Podna mlaznica DN-F40 od nerđajućeg čelika AISI 316L	89	9.989-914.0		☐
Podna mlaznica DN-F50 od nerđajućeg čelika AISI 316L	90	9.989-915.0		☐
Floor nozzle stainless steel 400 mm DN-F	91	9.989-934.0		☐
	92	9.989-935.0		☐
Floor nozzle aluminium 400 mm DN-F40	93	9.989-936.0		☐
Floor nozzle aluminium 400 mm DN-F50	94	9.989-937.0		☐
Mlaznice za žlebove				
Mlaznica za fuge PU 19 mm × 160 mm DN40	95	9.981-483.0	Uski nastavak napravljen od PU, DN 40.	☐
Mlaznica za fuge PU 22 mm × 175 mm DN50	96	9.981-482.0	Uski nastavak napravljen od PU, DN 50.	☐
Mlaznica za fuge 18 mm × 120 mm DN50	97	9.981-442.0	Mlaznica za prereze DN 50 od čeličnog lima, sa širinom prereza 17 mm.	☐
Mlaznica za fuge 25 mm × 120 mm DN50	98	9.981-465.0	Mlaznica za prereze DN 50 od čeličnog lima, sa širinom prereza 25 mm.	☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



99, 101



100



102-103



104-105



106-107



108-109



110-111



112-113

		Kataloški br.		
MLAZNICE				
Mlaznice za žlebove, savitljive				
Mlaznica za fuge, pocinkovana, fleksibilna	99	9.981-423.0	Mlaznica za fuge, čelična, pocinkovana, fleksibilna, širina reza 20 mm.	☐
Mlaznica za fuge, savitljiva, 12 mm × 45 mm DN50	100	9.981-424.0	Fleksibilna mlaznica za proreze DN 50, elektroprovodna, pocinkovana, sa širinom proreza 13 mm.	☐
Mlaznica za fuge, pocinkovana, fleksibilna	101	9.981-425.0	Mlaznica za fuge, čelična, pocinkovana, fleksibilna, širina reza 20 mm.	☐
Crevice nozzle nozzle flexible silicone	102	9.989-847.0		☐
Standard nozzle flexible Silikon FDA tra	103	9.989-848.0		☐
Mlaznice za površine				
Rubber nozzle silicon FDA blue DN-F40	104	9.989-849.0		☐
Standardna FDA silikonska plava mlaznica DN-F40	105	9.989-850.0		☐
Standard nozzle silicon FDA blue DN-F40	106	9.989-851.0		☐
	107	9.989-852.0		☐
	108	9.989-853.0		☐
	109	9.989-854.0		☐
	110	9.989-855.0		☐
	111	9.989-856.0		☐
Standardna FDA silikonska plava mlaznica DN-F40	112	9.989-857.0		☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



112-113



114-115



116



117



118-119



120-121



122-123



124-125



126-127

		Kataloški br.		
MLAZNICE				
Mlaznice za površine				
Standard nozzle silicon FDA blue DN-F40	113	9.989-858.0		☐
	114	9.989-859.0		☐
Standardna FDA silikonska plava mlaznica DN-F40	115	9.989-860.0		☐
ČETKE				
Standardne četke				
Standardna četka 40 mm DN40	116	9.981-431.0	Ravna mlaznica sa četkom DN 40.	☐
Standardna četka 40 mm DN50	117	9.981-432.0	Ravna mlaznica sa četkom DN 50.	☐
Uzane četke				
Brush FDA blue ø 75 mm DN-F40	118	9.989-873.0		☐
Brush FDA blue ø 75 mm DN-F50	119	9.989-874.0		☐
FDA mlaznica s četkom ø 75 mm DN-F40 zelena	120	9.989-875.0		☐
Brush FDA green ø 75 mm DN-F50	121	9.989-876.0		☐
Brush FDA red ø 75 mm DN-F40	122	9.989-877.0		☐
Brush FDA red ø 75 mm DN-F50	123	9.989-878.0		☐
Brush FDA white ø 75 mm DN-F40	124	9.989-879.0		☐
Brush FDA white ø 75 mm DN-F50	125	9.989-880.0		☐
Brush FDA yellow ø 75 mm DN-F40	126	9.989-881.0		☐

☐ dodatni pribor

PRIBOR IVM 60/30 1.573-520.0



		Kataloški br.		
ČETKE				
Uzane četke				
Brush FDA yellow ø 75 mm DN-F50	127	9.989-882.0		☐
Ravne četke				
Usisna metla	128	9.981-911.0	Usisna metla, 300 mm, sa priključkom 45 °, sa zvezdastim vijkom, čekinjama od konjske dlake.	☐
	129	9.981-912.0		☐
Cilindrične četke				
Cylinder brush ø 100 mm F-DN40	130	9.989-922.0		☐
Cylinder brush ø 200 mm F-DN40	131	9.989-923.0		☐
Cilindrična četka ø 100 mm F-DN50	132	9.989-925.0		☐
Cylinder brush ø 200 mm F-DN50	133	9.989-926.0		☐
SETOVI PRIBORA				
Čvrste materije / prašine				
Kit oven cleaning DN50	134	9.989-938.0		☐
Kit oven cleaning DN40	135	9.989-939.0		☐
Komplet za hranu DN40	136	9.989-940.0		☐
Komplet za hranu DN50	137	9.989-941.0		☐
Kit overhead cleaning DN40	138	9.989-942.0		☐
Kit overhead cleaning DN50	139	9.989-943.0		☐

☐ dodatni pribor