

KOMPLET ZA ČIŠĆENJE KROVNIH OLUKA I CEVI PC 20

Komplet za čišćenje oluka i cevi sve radi sam – pomoću visokog pritiska. On s lakoćom čisti slivnike, zapušene cevi i oluke. Dužina creva: 20 m.



Kataloški br.

2.642-240.0

Tehnički podaci

4039784523685

Dužina	m	20
Boja		crna
Težina	kg	0,3
Težina sa ambalažom	kg	2,5
Dimenzije (D × Š × V)	mm	250 × 340 × 100

**Močno čiščenje pod visokim pritiskom**

- Efikasno i brzo rešenje blokada cevi

Četiri prema nazad usmerena mlaza pod visokim pritiskom

- Optimalna pokretljivost u cevi

Zaštita od prelamanja

- Zaštita creva od prelamanja.

KOMPATIBILNI UREĐAJI

- G 7.180
- K 2 Battery
- K 2 Classic
- K 2 Universal Edition
- K 3 Classic
- K 3 Power Control
- K 4 Classic
- K 4 Power Control Flex
- K 4 Power Control Flex Car & Home
- K 4 Power Control Flex Home
- K 4 Power Control Home
- K 4 WCM
- K 5 Classic
- K 5 Power Control Flex

- K 5 Power Control Flex Car & Home
- K 5 Power Control Flex Home
- K 5 Power Control Home
- K 5 Smart Control Flex
- K 5 WCM
- K 7 Power Flex
- K 7 Power Flex Home
- K 7 Smart Control Flex
- K 7 Smart Control Flex Home
- K 7 WCM
- K2 Battery Set
- K2 Power Control
- K2 Power Control Home
- K2 Premium Power Control

- K3 Power Control Home
- K3 Premium Power Control
- K4 Power Control
- K4 Premium Power Control
- K4 Premium Power Control Home
- K5 Power Control
- K5 Premium Smart Control
- K5 Premium Smart Control Home
- K7 Premium Smart Control
- K7 Premium Smart Control Home
- K7 Smart Control
- K7 Smart Control Home

PRIBOR KOMPLET ZA ČIŠĆENJE KROVNIH OLUKA I CEVI PC 20 2.642-240.0



		Kataloški br.		
SREDSTVA ZA ČIŠĆENJE POVRŠINA				
Rezervne mlaznice kao pribor	1	2.643-338.0	Prvoklasne rezervne mlaznice za sve površinske čistače T-Racer (osim T 350) za klase uređaja K 2 do K 7, čistače oluka PC 20 za K 3 do K 7 kao i podzemne čistače za K 2 do K 5.	☐
ČIŠĆENJE CEVI				
Nozzles PC	2	2.644-495.0		☐
Pipe cleaning nozzle	3	2.644-498.0		☐

☐ dodatni pribor